



1
SEQUENCE LISTING

GEN-100D1

<110> Bougueleret, Lydie

Chumakov, Ilya

RECEIVED

MAY 22 2002

TECH CENTER 1600/2900

<120> Human Defensin Polypeptide Def-X, Genomic DNA and cDNA, Composition
Containing Them and Applications to Diagnosis and to Therapeutic Treatment

<130> GEN-100D1

<140> US 10/045,180

<141> 2001-10-18

<150> US 09/486,580

<151> 2000-02-25

<150> PCT/FR98/01864

<151> 1998-08-28

<150> FR 97/10823

<151> 1997-08-29

<160> 12

<170> PatentIn version 3.1

<210> 1

<211> 4415

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)..(4415)

<223> Def-X genomic sequence

<220>

<221> misc_feature

<222> (85)..(85)

<223> n = a, c, g, or t.

<220>

<221> misc_feature

<222> (143)..(143)

<223> n = a, c, g, or t.

<220>

<221> misc_feature

<222> (670)..(670)

<223> n = a, c, g, or t.

<220>

<221> misc_feature

<222> (970)..(970)

<223> n = a, c, g, or t.

<220>

<221> misc_feature

<222> (1111)..(1111)

<223> n = a, c, g, or t.

<220>

<221> misc_feature

<222> (1150)..(1150)

<223> n = a, c, g, or t.

<220>

<221> CAAT_signal

<222> (1711)..(1714)

<223>

<220>

<221> TATA_signal

<222> (1758)..(1767)

<223>

<220>

<221> misc_feature

<222> (1780)..(1780)

<223> n = a, c, g, or t.

<220>

<221> misc_feature

<222> (1836)..(1874)

<223> Exon 1

<220>

<221> misc_feature
<222> (1875)..(1880)
<223> splice donor site

<220>

<221> misc_feature
<222> (1974)..(1974)
<223> n = a, c, g, or t.

<220>

<221> misc_feature
<222> (2117)..(2117)
<223> n = a, c, g, or t.

<220>

<221> misc_feature
<222> (2133)..(2133)
<223> n = a, c, g, or t.

<220>

<221> misc_feature
<222> (2155)..(2335)
<223> Alu insertion

<220>

<221> misc_feature
<222> (2186)..(2186)
<223> n = a, c, g, or t.

<220>

<221> misc_feature

<222> (2191)..(2191)

<223> n = a, c, g, or t.

<220>

<221> misc_feature

<222> (2367)..(2367)

<223> n = a, c, g, or t.

<220>

<221> misc_feature

<222> (2710)..(2780)

<223> L1 fragment insertion

<220>

<221> misc_feature

<222> (3391)..(3393)

<223> splice acceptor site

<220>

<221> misc_feature

<222> (3394)..(3577)

<223> Exon 2

<220>

<221> misc_feature

<222> (3406)..(3408)

<223> Translation initiation codon (ATG)

T:\Sequences\GEN\100D1\GEN-100D1seqlisting.doc/ms

<220>

<221> misc_feature

<222> (3578)..(3583)

<223> splice donor site

<220>

<221> misc_feature

<222> (4123)..(4123)

<223> n = a, c, g, or t.

<220>

<221> misc_feature

<222> (4161)..(4163)

<223> splice acceptor site

<220>

<221> misc_feature

<222> (4164)..(4379)

<223> Exon 3

<220>

<221> misc_feature

<222> (4274)..(4276)

<223> Translation termination codon (TAA)

<220>

<221> polyA_signal

<222> (4374)..(4379)

<223>

```

<400> 1
acaccatttg tcttcatgta accccattag ctataccctc tagtgcaagg aaaccatagg      60
gcctagggtca caccatgagg ctgcncctac aagttatgca aaaactatgg acttggggaga    120
cctgtgcgta acaacatcac acnccaaatt taaccagctc tccccataac agcacgctca     180
tgtgttactg aggaaatgcc tgtggattgg agtgtgttct gtgtgcagga ggctgggtcca    240
ggtttcactt ctgcaggaca ctggacgttt cccaaaacca gcagacttct cccacgtgca     300
cacacacccc ttctcatttt gcctctacat ccataccac tgggcccttc aggcaacctac    360
taatgcccta gaacctaaaa ccatcatctg gggcccagtt ccctgaatgg ccctaattct     420
ttctctgctt ggaatgagtc cagtgeccac ttctccaac ggtgaaattg ctgggtgctt     480
acagatcagg aactcactgc ttctcatag gggcagccga cttcactgct ctgcaacagc     540
gaccaccctt agcgaggctt gagatgcctc ttgctcctt aagactgagg gagacgcttc     600
agctctcact ccactgcccc aagtctctca cagcgcggtg cctgctgcct tcacacagag    660
ctgcagggnn aggtcctgtg tatccggcct gctggaccag cgctgtgcac aacctccca     720
tggaacagtc ggctgcccgg cctgcacact gggcttggca acctcgtgtt aggtatttat     780
tcctcagga gtgactgcat tcttttccca ttccagaaa actgatgcca ttacctcac     840
tatgaggagg aggaggaggga ggagggtgga gagtgggtaca ttttaaaatg tgcactattc   900
tccttaggac tccccctcaa ataaccagg agggaccata ccagctcatt cctgtgtatc    960
ccaagcatan gagtaatcat ccactcatg ctgagtgtat ggtggccatt aagcctgccc   1020
tgaactggct ttagaacaag gtgtttgagc acacagcacc gtcttctgct caccttggcc   1080
ccctcccttg tgagacctct gagacacatt naggtctcac ctaaaaaatc caggatttct   1140
aggcccaaan cggctctaaa aaattgttca gtctgaactc tctaaggta agagaagagg   1200
tgggtgtctc ctctaagaaa ccacatgttg catgtacatc ctttaattccg gaaagtccaa   1260
caaacctgcc ctgcttagca acacaagccg aggtgggtact cctctaccc gggcattctc   1320
caacacacct gtttgtccaa acagctttga ttgttttta tagttggacc ccaggttccc   1380
aggagggttg ttcaggccat attccaaatc ctcatctgtg tgtgagtggc attcttagcc   1440
tagctcctct acagggtgga tactatgata cacagccagg ctgtcccaag ggctttcaat   1500
attcttttgg tccagatagt tcagcctcag caccagtgtg ggcacacag ggtcaattgt   1560
cttaggagtc atggagaatt catagtgtgt agctacctgg gcctggccag ggctgacctat   1620

```

T:\Sequences\GEN\100D1\GEN-100D1seqlisting.doc/ms

agacaaggca tccctctgtg aactcctatt ttaatgccag ctcccaaca aattttctcaa 1680
 ctgctcttac cagcaggat ttaactact caatagaaag taacctgaa aattaggaca 1740
 cctgttccca aaagaccctt aaatagggga agtcctttcn ctgcttctgc acagctgctg 1800
 atgtggcaac atgaggcctg ggacagggga ctgtcctctg cccactctgg tagcctcagc 1860
 tagcttaaca atctgtcagt aatacaatac aaaacttaaa ctttcatact gcggttccac 1920
 ccaggaagct gtgttcccaa tctgaccctg gattatgggg ccacctcaga ggnnaccag 1980
 tgagggaata ttttgccatc tgggactgtt ggttgctggg ggcagtggct atgagctcag 2040
 ttaataaact caagcagttt ccttccaaac acacatgtcc tacttaacgt gtccaacaga 2100
 gatgatcata ctcatangct gctaaaacat tanttttatt ttgagaaaag tctattcatg 2160
 ttcttgccc atggagtttt catttnatta ntttatttat ttgcagaga tggagtctca 2220
 ctatgttctc caagctggtc tccaactcct gggtcgaagc gatcttccta ctttggcctt 2280
 tgaaagcgtc gagattgcct gtgtgagcca tcatgggggc tcactggccc actgattaat 2340
 cagattaatt gtttttctg attgaanttg ttgacttcc ttgtatatcc ggatatttac 2400
 ccattctaac acgtagggtt tgcaaatatt ttctctcatg ttctgtgttg ctttttact 2460
 cagttgatgg tttcctttgc tgtgcaggtg ctttagtggt caacgcagcc ccgcttgtct 2520
 attttccatt ttattgcctg tccctttgat gtcatagcca agaaataatt gccagatta 2580
 atgtcaaaaa gctttatccc tatatattct tctagtagtt tatggtttca gatcctatgt 2640
 ttaggcttc aatccattga gttgattttt gtatgtggta taagaaaaaa gaccacatgt 2700
 atacatatct caaattctaa ggtagtatat attagacaca tacaatgtgt ctattttacac 2760
 acattgagct gaaaataata aacatatatt tatctttcaa tcaactctat ctctatctca 2820
 ctgaacttgt ttcacctata gcctgatgag gttgctgtcc tctctacccc agctcctata 2880
 ggagactgct catcccccaa cctcaaaaac cccttcatga gggtgataat gcccttgaat 2940
 cctgcaatga attagtcttc tactacagtg gaattcaggt ctgttatgag ggtctggatc 3000
 tctgaagaga agagctctca ttttcagaaa ataagcagga tttattccct gaaattactg 3060
 aattaaatca ctgtttcgtat tactttttgc aatattaaaa gtaaatattt aaacaggtaa 3120
 aaacagaaat aatggtaggg tccttatcat caccgtgaat tccaagctag catagacact 3180
 aaacctagag attcacacta gaatgaaagc tgggagagca gaggagtctc agaaggatgt 3240
 ggaggccaat ggacacctgc aacctctcca acgaaatgcc tacctcctct cactgcagca 3300
 tccatctctg agccttctcg cagcagagct ataaattcag cctggctcct ccgttcccac 3360


```

acatccactc ctgctctccc tcctctcctc caggtgacta cagtatatgag gacccctacc 3420
ctctctctctg cctttctcct ggtggccctt caggcctggg cagagccgct ccaggcaaga 3480
gtcatgaga tgccagccca gaagcagcct ccagcagatg accaggatgt ggtcatttac 3540
ttttcaggag atgacagctg ctctcttcag gttccagggt agagatgcca gcatgcagag 3600
ctacagacta gacagaagga caggagacag gctctggaat tggatctcag tggcagatgt 3660
cacttaggtg gctatactta acatctctgg tcctggattt tctcatatct aatggaata 3720
gagaacaaaa gaaatctaag agatttttct ttctccaaaa acttgattcc aagatatgac 3780
tgtgaaatc actagattta agatataagg agatgctacc tagttccttc tggagccaga 3840
caaacaagct taagtatata ggaaaatatt tcaccctgtc tatataggag gttttagaac 3900
ctggagagga gctaagaat gtgttcaggt gtgtgtgtga tgggcaggaa tgcagaaaag 3960
tgaagcaaag gagaatgagt ctggaatcct gtgtgaccag cactgctctg tgtatttatt 4020
cctattgact gagattgttt gtgctaccgg ctgtaataca gccaacatca ctcatcagcc 4080
aacatgtgac ttctccaaga ttccctttac caccactgc tgnaccccg actcagtttc 4140
tgatgctctc tctgggtccc caggctcaac aaagggcttg atctgccatt gcagagtact 4200
atactgcatt tttggagaac atcttggtgg gacctgttc atccttggtg aacgctaccc 4260
aatctgctgc tactaagctt gcagactaga gaaaagagt tcataatttt ctttgagcat 4320
taaaggaat tgtatttctt ataccttgct ctcgatttcc tgtcctcate ccaataaat 4380
acttggaac atgatttcgg ggtttttttt ttttt 4415

```

<210> 2

<211> 453

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (52) .. (336)

<223> Def-X coding sequence

<223> Def-X signal peptide

<220>

<221> PROPEP

<222> (20)..(63)

<223> Def-X propeptide

<220>

<221> PEPTIDE

<222> (64)..(94)

<223> Def-X mature peptide

<400> 3

Met Arg Thr Leu Thr Leu Leu Ser Ala Phe Leu Leu Val Ala Leu Gln
1 5 10 15

Ala Trp Ala Glu Pro Leu Gln Ala Arg Ala His Glu Met Pro Ala Gln
20 25 30

Lys Gln Pro Pro Ala Asp Asp Gln Asp Val Val Ile Tyr Phe Ser Gly
35 40 45

Asp Asp Ser Cys Ser Leu Gln Val Pro Gly Ser Thr Lys Gly Leu Ile
50 55 60

Cys His Cys Arg Val Leu Tyr Cys Ile Phe Gly Glu His Leu Gly Gly
65 70 75 80

Thr Cys Phe Ile Leu Gly Glu Arg Tyr Pro Ile Cys Cys Tyr
85 90

<210> 4

<211> 19

<212> PRT

<213> Homo sapiens

<220>

<221> SIGNAL

<222> (1)..(19)

<223> Def-X signal peptide

<400> 4

Met Arg Thr Leu Thr Leu Leu Ser Ala Phe Leu Leu Val Ala Leu Gln
1 5 10 15

Ala Trp Ala

<210> 5

<211> 44

<212> PRT

<213> Homo sapiens

<220>

<221> PROPEP

<222> (1)..(44)

<223> Def-X propeptide

<400> 5

Glu Pro Leu Gln Ala Arg Ala His Glu Met Pro Ala Gln Lys Gln Pro
1 5 10 15

Pro Ala Asp Asp Gln Asp Val Val Ile Tyr Phe Ser Gly Asp Asp Ser
20 25 30

Cys Ser Leu Gln Val Pro Gly Ser Thr Lys Gly Leu
35 40

<210> 6

T:\Sequences\GEN\100D1\GEN-100D1seqlisting.doc/ms

<211> 31

<212> PRT

<213> Homo sapiens

<220>

<221> PEPTIDE

<222> (1)..(31)

<223> Def-X mature peptide

<400> 6

Ile Cys His Cys Arg Val Leu Tyr Cys Ile Phe Gly Glu His Leu Gly
1 5 10 15

Gly Thr Cys Phe Ile Leu Gly Glu Arg Tyr Pro Ile Cys Cys Tyr
20 25 30

<210> 7

<211> 4295

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)..(4295)

<223> Def-4 (HNP-4) genomic sequence

<220>

<221> CAAT_signal

<222> (1703)..(1706)

<223>

<220>

<221> TATA_signal

<222> (1752)..(1761)

<223>

<220>

<221> misc_feature

<222> (1824)..(1862)

<223> Exon 1

<220>

<221> misc_feature

<222> (1863)..(1868)

<223> splice donor site

<220>

<221> misc_feature

<222> (3172)..(3174)

<223> splice acceptor site

<220>

<221> misc_feature

<222> (3175)..(3358)

<223> Exon 2

<220>

<221> misc_feature

<222> (3187)..(3189)

<223> Translation initiation codon

<220>

<221> misc_feature

<222> (3359)..(3364)

<223> Splice donor site

<220>

<221> misc_feature

<222> (3942)..(3944)

<223> Splice acceptor site

<220>

<221> misc_feature

<222> (3945)..(4251)

<223> Exon 3

<220>

<221> misc_feature

<222> (4064)..(4066)

<223> Translation termination codon (TAA)

<400> 7

ggatcccat ttgtcttcag tgtaacccat tagttaaac gcctactgca aggaaaccac 60

aaggcttgga tcagatcatg aggctgcctt acaagtattg ccaaaaaata tggacttgga 120

agacctgtct gttataatat cacacccaaa tctaaccagc tctgccaata acagctctct 180

cctatgttac taggaaaatg cctatggatt ggagtgtgtt ctgtgtgcag gaggctggtc 240

cagggttcac ttctgcagga cactggacat ccccaacaacc accagacctt cccacagtgc 300

acacacaccc cttctcattt tgctcttaca tccatatcca ctgggccctt caggcaccta 360

ctaattgcctt agaacctaaa accatcatct ggggccagtc tccccaaata gcctaattt 420

cttcctctgc tggaatgagt ccagtgccca cttcctccaa aggtgaaatt gctgggcctg 480

T:\Sequences\GEN\100D1\GEN-100D1seqlisting.doc/ms

caacagatca ggaactcact gcttctcata ggggcagccg acttcaetgc tctggaacag	540
cgaccacccc tagcgaggct tgagatgcct cttccctcct taagactgag agcgccgctg	600
ccccagtc ccataagccc agtgccctggc tgccttcagc cagagctgca ggggagggccc	660
tgagcaccca agtcctctgct gaccagcgct gtgcacggcc ctcccattgac ggcaggggct	720
gcctggactg catactgggt tcagcaacct cactataggt attcattccc tcaggaacaa	780
ctgcattctt ttctcatttc cagaaacctc atcccggtta cctcactaca aggaggagga	840
tggtggagag tggtagattt taaaatgtgc actagtctcc ctgggactcc ccttcaata	900
accaggagg gaccacacaa gggaaagctt atgcatcccc cccaccagc gaccatcttc	960
ctaactctgg gtgtaggag actcgtaagc ctacgggatt ggtttgggaa cagggtattt	1020
gagctcacia cacaaggtga tgcaagctaa caccaatctc gctgcagctt tggccaccat	1080
cctaagggac ttctgacaga cattaggtgt cagcgaatca tttgatgagt ccttgccctg	1140
gatgacctag acagtcattt aggcctgaac tatctaaggc caagcaaaaa ggtgactgtc	1200
ccctctagga accacatgct atatgcacat cctttactcg ggagcctgca acctgcccta	1260
tcagcaaca caagcccagg cgtattcagt ctcatccagg tattctccaa ccttacttgt	1320
ctgaatggct tggatttgtt ttatgggta gacccagggc cctgggaggc cagttcagac	1380
cacattccaa atctcatct gtgtgtgggt ggcattttga tcctagtctc ctgcgaaggt	1440
gtatacaaca atatgcaggc caggctctcc tgggtggctt aaatattccc tcgggtccagg	1500
tagttcagcc tcagccacca gcatagggat catggggta attgtcttag gagtcatgag	1560
gaatccacag ttgattgctg cctgggcctg gccaggggctg accaaagtag acgaggggct	1620
ggtagctccg tggactcctg cttgaactcc agctttctgc caaatttctc aactgccctt	1680
gttaacagtt atttaaagta cccaatagaa agtaacgctg aaaaattagg acacctgata	1740
ccaaaagacc cttaataaag gaagtcctct cctctgtgtg catgggtgct cttgtacat	1800
aagacctgga acacaggact gctgtctgcc ctctctgctc gccctgcta gcttgaggat	1860
ctgtaagtaa cacaaaactt aaactttcac attgagggtt caatattgaa gctgtgtccc	1920
cagctgaccc tctcactgtg gggccacccc agaggaccca gcgtgaagcc cctgtgtgta	1980
acttctatct ggggtgtctg cggtctgtg gggtaattgc tactagctaa gtcaatagag	2040
aaactcaaaa agtttctctc caaacacacg tgtctactt gacatgtcca ataaagacga	2100
tcacagcttc ttaaaacatt attttattgt gagagaagcc tctgcaggtc ctaggctgtg	2160
ttttcaatca ggtgtgttgt tttttgctat tgagttgttt gacttcotta tgtattcaga	2220

tatttacc	ttctacc	cg tag	ctttgc	aaacatt	ttc	tctcatt	ttc	tgggtg	ccg	2280
tttcctc	ag	ttgatt	gtt	cctttg	ctat	gaagat	gctt	tagcgt	tcaa	2340
cttgct	tatt	ttccatt	tg	ttattg	ct	gtgcct	ttg	tgtcat	agcc	2400
tactcac	gtc	aatgtc	aaaa	gctttat	ctt	tgtatg	tgt	tctcgt	agtt	2460
aggtct	tttc	aagtct	atgt	tgagtct	tca	atccat	gttg	agctgat	ttt	2520
tgagaga	aag	gaccac	gtgt	atgcac	ctag	caactc	atga	accttac	caca	2580
tctctc	actg	agctc	atttc	acctgt	accc	tgataa	gggtc	attgtc	ctct	2640
ccctac	agga	gactact	cac	cccatt	acct	cagtcg	cccc	ttcatg	aggg	2700
tagaag	ccgt	caatg	agtta	ctctct	actc	caccgga	aatt	cagggt	ctg	2760
agacct	gaag	agaat	agtag	ggcccat	tatt	caggaaa	ttaa	gaggcat	ttg	2820
ttattg	aatg	aaagc	actgt	ttccatt	ctt	tttaga	atat	taaagat	tta	2880
attaggt	tatt	tcctg	aaaa	aggaaaa	aat	gccagg	gttc	tcacat	cac	2940
aacctag	gca	cagac	actaa	acatag	agct	tcctgt	gaag	aaagct	ggga	3000
ggcatt	ccag	ggatgt	caag	gccaat	agga	gtcggc	atcc	tctcta	acaa	3060
tcctct	act	cagaag	gcca	aaggtt	ctt	atctct	gtgc	cttctc	ccag	3120
atccaa	gctg	gcttct	ccct	ccccac	acag	ctgctc	ctgc	tctcct	ctc	3180
ccagcc	atga	ggattat	cgc	cctcct	cgct	gctatt	ctct	tggtag	ccct	3240
gcaggc	ccac	tccagga	caag	aggtg	atgag	gctcc	aggcc	aggag	cagc	3300
gaccagg	aca	tatctatt	ctc	ctttg	catgg	gataaa	agct	ctgctc	ttca	3360
gagagag	ggcc	agcata	aaaa	agctac	cagag	tctag	agaga	cggatg	gggag	3420
gaatcac	atc	tcaatg	gttg	atgtc	actta	ggtggc	ttta	cttacc	atct	3480
attttct	tatt	ctcgaa	actg	aatag	agaga	caaaca	aatg	taagat	gtct	3540
aagact	tgat	tccaag	gtat	gtctata	aaaa	ttcgct	aggg	ttaaga	tatg	3600
ttgacc	agtt	ctttct	ggat	ctaaaa	caagt	agatatt	tata	gggaaa	atat	3660
caacaa	agga	aatttt	aaaa	actgg	agatg	ggctta	agag	tatgtt	cagg	3720
atgggg	caaa	agcacac	aaa	tcagag	caaa	agaga	atgag	tctcaa	atcc	3780
gcattg	ctct	gtgtatt	tatt	tcctatt	gac	taagg	ttgtt	tgtgct	accg	3840
agccag	catc	accgg	tcagc	cagcat	gtgc	attctc	caag	attcc	cttta	3900
ctgacct	tg	tgctta	attt	ctcagt	cttc	ctctgt	gttc	ccaggct	caa	3960

```

ggctctgctct tgcagattag tattctgccg gcgaacagaa cttcgtgttg ggaactgcct 4020
cattgggtggt gtgagtttca catactgctg cagcgtgtgc gattaacatt ctgctgtcca 4080
agagaatgtc atgctgggaa cgccatcacc ggtggtgtta gcttcacatg cttctgcagc 4140
tgagcttgca gaatagagaa aaatgagctc ataatttgc ttagagacta caggaaatgg 4200
ttgtttctcc tatactttgt ccttaacatc tttcttgatc ctaaatatat atctcgtaac 4260
aagatgtctt tgtttacacc tctttgaaat ttgat 4295

```

<210> 8

<211> 542

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (52)..(345)

<223> Def-4 (HNP-4) coding sequence

<400> 8

```

gtctgccctc tctgctgcc ctgcctagct tgaggatctg tcacccacgc c atg agg 57
                                     Met Arg
                                     1

```

```

att atc gcc ctc ctc gct gct att ctc ttg gta gcc ctc cag gtc cgg 105
Ile Ile Ala Leu Leu Ala Ala Ile Leu Leu Val Ala Leu Gln Val Arg
      5                      10                      15

```

```

gca ggc cca ctc cag gca aga ggt gat gag gct cca ggc cag gag cag 153
Ala Gly Pro Leu Gln Ala Arg Gly Asp Glu Ala Pro Gly Gln Glu Gln
      20                      25                      30

```

```

cgt ggg cca gaa gac cag gac ata tct att tcc ttt gca tgg gat aaa 201
Arg Gly Pro Glu Asp Gln Asp Ile Ser Ile Ser Phe Ala Trp Asp Lys
      35                      40                      45                      50

```

```

agc tct gct ctt cag gtt tca ggc tca aca agg ggc atg gtc tgc tct 249
Ser Ser Ala Leu Gln Val Ser Gly Ser Thr Arg Gly Met Val Cys Ser
      55                      60                      65

```

```

tgc aga tta gta ttc tgc cgg cga aca gaa ctt cgt gtt ggg aac tgc 297
Cys Arg Leu Val Phe Cys Arg Arg Thr Glu Leu Arg Val Gly Asn Cys
      70                      75                      80

```

ctc att ggt ggt gtg agt ttc aca tac tgc tgc acg cgt gtc gat taa 345
Leu Ile Gly Gly Val Ser Phe Thr Tyr Cys Cys Thr Arg Val Asp
85 90 95

cgttctgctg tccaagagaa tgtcatgctg ggaacgccat catcggtggt gttagcttca 405
catgcttctg cagctgagct tgcagaatag agaaaaatga gctcataatt tgctttgaga 465
gtacaggaa atggtgtgtt ctctatact ttgtccttaa catctttctt gatcctaaat 525
atatatctcg taacaag 542

<210> 9

<211> 97

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<222> (1)..(97)

<223> Def-4 preproprotein sequence

<220>

<221> SIGNAL

<222> (1)..(19)

<223> Def-4 signal peptide

<220>

<221> PROPEP

<222> (20)..(63)

<223> Def-4 propeptide

<220>

<221> PEPTIDE

<222> (64)..(97)

<223> Def-4 mature peptide

<400> 9

Met Arg Ile Ile Ala Leu Leu Ala Ala Ile Leu Leu Val Ala Leu Gln
1 5 10 15

Val Arg Ala Gly Pro Leu Gln Ala Arg Gly Asp Glu Ala Pro Gly Gln
20 25 30

Glu Gln Arg Gly Pro Glu Asp Gln Asp Ile Ser Ile Ser Phe Ala Trp
35 40 45

Asp Lys Ser Ser Ala Leu Gln Val Ser Gly Ser Thr Arg Gly Met Val
50 55 60

Cys Ser Cys Arg Leu Val Phe Cys Arg Arg Thr Glu Leu Arg Val Gly
65 70 75 80

Asn Cys Leu Ile Gly Gly Val Ser Phe Thr Tyr Cys Cys Thr Arg Val
85 90 95

Asp

<210> 10

<211> 94

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<222> (1)..(94)

<223> Def-5 preproprotein sequence

<220>

<221> SIGNAL

<222> (1)..(19)

<223> Def-5 signal peptide

<220>

<221> PROPEP

<222> (20)..(63)

<223> Def-5 propeptide

<220>

<221> PEPTIDE

<222> (64)..(94)

<223> Def-5 mature peptide

<400> 10

Met Arg Thr Ile Ala Ile Leu Ala Ala Ile Leu Leu Val Ala Leu Gln
1 5 10 15

Ala Gln Ala Glu Ser Leu Gln Glu Arg Ala Asp Glu Ala Thr Thr Gln
20 25 30

Lys Gln Ser Gly Glu Asp Asn Gln Asp Leu Ala Ile Ser Phe Ala Gly
35 40 45

Asn Gly Leu Ser Ala Leu Arg Thr Ser Gly Ser Gln Ala Arg Ala Thr
50 55 60

Cys Tyr Cys Arg Thr Gly Arg Cys Ala Thr Arg Glu Ser Leu Ser Gly
65 70 75 80

Val Cys Glu Ile Ser Gly Arg Leu Tyr Arg Leu Cys Cys Arg
85 90

<210> 11

<211> 100

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<222> (1)..(100)

<223> Def-6 preproprotein sequence

<220>

<221> SIGNAL

<222> (1)..(19)

<223> Def-6 signal peptide

<220>

<221> PROPEP

<222> (20)..(70)

<223> Def-6 propeptide

<220>

<221> PEPTIDE

<222> (71)..(100)

<223> Def-6 mature peptide

<400> 11

Met	Arg	Thr	Leu	Thr	Ile	Leu	Thr	Ala	Val	Leu	Leu	Val	Ala	Leu	Gln
1				5					10					15	

Ala	Lys	Ala	Glu	Pro	Leu	Gln	Ala	Glu	Asp	Asp	Pro	Leu	Gln	Ala	Lys
		20						25					30		

Ala	Tyr	Glu	Ala	Asp	Ala	Gln	Glu	Gln	Arg	Gly	Ala	Asn	Asp	Gln	Asp
	35						40					45			

Phe Ala Val Ser Phe Ala Glu Asp Ala Ser Ser Ser Leu Arg Ala Leu
50 55 60

Gly Ser Thr Arg Ala Phe Thr Cys His Cys Arg Arg Ser Cys Tyr Ser
65 70 75 80

Thr Glu Tyr Ser Tyr Gly Thr Cys Thr Val Met Gly Ile Asn His Arg
85 90 95

Phe Cys Cys Leu
100

<210> 12

<211> 94

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<222> (1)..(94)

<223> Def-1 preproprotein sequence

<220>

<221> SIGNAL

<222> (1)..(19)

<223> Def-1 signal peptide

<220>

<221> PROPEP

<222> (20)..(64)

<223> Def-1 propeptide

<220>

<221> PEPTIDE

<222> (65)..(94)

<223> Def-1 mature peptide

<400> 12

Met Arg Thr Leu Ala Ile Leu Ala Ala Ile Leu Leu Val Ala Leu Gln
1 5 10 15

Ala Gln Ala Glu Pro Leu Gln Ala Arg Ala Asp Glu Val Ala Ala Ala
20 25 30

Pro Glu Gln Ile Ala Ala Asp Ile Pro Glu Val Val Val Ser Leu Ala
35 40 45

Trp Asp Glu Ser Leu Ala Pro Lys His Pro Gly Ser Arg Lys Asn Met
50 55 60

Ala Cys Tyr Cys Arg Ile Pro Ala Cys Ile Ala Gly Glu Arg Arg Tyr
65 70 75 80

Gly Thr Cys Ile Tyr Gln Gly Arg Leu Trp Ala Phe Cys Cys
85 90